

TECHNICAL DATA

Fluke T150 Two-pole Voltage and Continuity Electrical Tester



Key features

The best combination of safety, ease-of-use and fast answers available anywhere. This voltage tester is built to work the way you work.

- Designed according to IEC EN 61243-3:2014 to verify the absence of voltage – even with discharged batteries
- CAT IV 600 V, CAT III 690 V safety rating
- Redesigned cable assembly for superb reliability on the job
- With 4 ways to indicate the presence of voltage – LED indicator, LCD display, audible tone or tactile feedback, always know if hazardous voltage is present

Product overview: Fluke T150 Two-pole Voltage and Continuity Electrical Tester

Fluke T150 Electrical tester: the perfect voltage tester to make your job faster, and safer.

Fluke T150 Voltage and Continuity Tester with backlit LCD readout and additional ohms measurement gives you fast test results the way you need them.

This continuity tester has an easy to use interface with large buttons, display hold, switchable load, bright backlights

and clear audible and physical indicators designed for any work situation.

Fluke T150 two-pole voltage and continuity tester measures low ohm resistances up to 1999 Ω .

This voltage tester is the best for your tool belt. Enhanced ergonomic design is easy to use (even with gloves on) and offers quick, secure probe docking.

How do we test our new and improved Two-Pole Voltage and Continuity Testers?

Two-pole voltage and continuity testers measure voltage, but just as important is when a voltage tester tells you that there is NOT voltage present before working on any circuit. For you to rely on your two-pole tester, it has to be the most rugged and reliable tester you can find. That's what Fluke's redesigned Fluke T150 gives you.

Other useful features

- Dual insulated cable tested to 3x the required bend angle provides increased reliability and durability
- Switchable load: avoid display of ghost voltages allowing you to draw more current from the circuit under test and avoid trip residual-current devices (RCDs)
- Backlit graduated scale and backlit indicators
- Built in electric torch for use in dark areas
- Resistance testing to 1999 ohms
- Audio on/off for testing in quiet areas
- Improved probe docking for secure storage
- Phase rotation indicator for 3-phase systems
- Display hold freezes reading on display until you can view it comfortably
- Single-pole phase test offers fast identification of live conductors
- Push-on probe tips, probe tip protector and storage accessory
- Tip protector serves as an extra hand when opening UK electrical safety outlets
- Low battery indicator

Specifications: Fluke T150 Two-pole Voltage and Continuity Electrical Tester

Ordering information



Fluke T150

Fluke T150 Voltage/Continuity Tester with backlit LCD, ohms, display hold, switchable load

Fluke. *Keeping your world up and running.®*

Fluke (UK) Ltd.
52 Hurricane Way
Norwich, Norfolk
NR6 6JB
United Kingdom
Tel.: +44 (0)20 7942 0708
E-mail: cs.uk@fluke.com
www.fluke.com/en-gb

©2025 Fluke Corporation. All rights reserved.
Data subject to alteration without notice.
08/2025

**Modification of this document is not permitted
without written permission from Fluke
Corporation.**